



# SAFETY DATA SHEET

## ACTERGE II

### 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

**Identification of Preparation:** ACTERGE II  
**Date of Safety Data Sheet:** April 1, 2017

**Use of Preparation:** Cleaner.

**Company Identification:** Mega-Lab Manufacturing Co. Ltd.  
361 Connie Crescent  
Concord, Ontario L4K 5R2

**Company Emergency Telephone Number** Emergency Phone: 905 532-9000

**Transportation Emergency Telephone Number** CANUTEC 613-996-6666 or \* 666 for cell phone

### 2. HAZARD IDENTIFICATION

**Emergency Overview:**  
**OSHA / WHMIS 2015 Hazards**  
**Classification of the Substance or Mixture**  
**GHS-US/Canadian classification:**  
Skin Corrosion / Irritation Category 1A H314  
Serious Eye Damage/Eye Irritation Category 1 H318  
**Label Elements**  
**GHS-US Labeling**  
**Hazard Pictograms (GHS):**



**Signal Word (GHS):** Danger  
**Hazard Statements (GHS):**  
H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.  
H318: Causes serious eye damage.  
**Precautionary Statements (GHS):**  
P260: Do not breathe mist.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
**Response Statements (GHS):**  
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



# SAFETY DATA SHEET

## ACTERGE II

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P315: Get immediate medical advice/attention.  
P501: Dispose of contents/container in accordance with local regulations.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Chemical Description:** Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Ethylene glycol monobutyl ether	111-76-2	35-70	Skin Corrosion/Irritation Category 2 - H315 Flammable Liquid Category 4 – H227
Ethanolamine	141-43-5	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion/Irritation Category 1B - H314 Serious Eye Damage/Irritation Category 1 – H318 Flammable Liquids Category 4 – H227

### 4. FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If symptoms persist consult physician.  
**Eye Contact:** Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.  
**Skin Contact:** Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse.  
**Ingestion:** Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Get medical aid.  
**Notes to Physician:** Treatment based on judgment of attending physician.

### 5. FIRE FIGHTING MEASURES

**Suitable extinguishing media:** Any standard extinguishing media (alcohol foam, water spray or fog, CO2 dry chemical, etc.).  
**Unsuitable extinguishing media:** None known.  
**Special exposure hazards** Thermal decomposition releases irritating gases.  
**Special safety equipment:** Self-contained positive pressure breathing apparatus and protective clothing.  
**Fire and explosion** Not flammable. Not an explosive hazard.  
**Further information** Keep containers and surrounding cool with water spray.



# SAFETY DATA SHEET

## ACTERGE II

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Stop leak if safe to do so. Ventilate area.

#### Environmental Precautions

Prevent entry to sewers and public waters.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely.

#### Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

#### Information about fire - and explosion protection:

Keep respiratory protective device available.

No special measures required.

#### Conditions for safe storage, including any incompatibilities

Acids, Oxidizers, reducing agents.

#### Storage:

##### Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

##### Information about storage in one common storage facility:

Do not store together with strong acids.

Store away from oxidizing agents.

Store away from foodstuffs.

##### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Respiratory protection:

Use local exhaust or dilution ventilation.

#### Hand protection:

Chemical resistant gloves.

#### Eye protection:

Safety goggles or full face shield.

Date: April 1, 2017

SDS Mega-Lab ACTERGE II



# SAFETY DATA SHEET

## ACTERGE II

**Skin protection:**

Use body-covering impervious clothing.

**Working hygiene:**

Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

**Exposure Guidelines:**

None

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Liquid		
<b>Appearance</b>	Clear liquid.	<b>Odour</b>	Butyl.
<b>Colour</b>	Yellow.	<b>Odour Threshold</b>	No data available.
<b>Property</b>	<b>Values</b>	<b>Remarks/Method</b>	
<b>pH</b>	13.5 +/- 0.25	None known	
<b>Melting/Freezing Point</b>	No data available	None known	
<b>Boiling Point/Range</b>	No data available	None known	
<b>Flash Point</b>	Not applicable.	None known	
<b>Evaporation Rate</b>	Similar	None known	
<b>Flammability (solid, gas)</b>	Not flammable	None known	
<b>Flammability Limit in Air:</b>			
<b>Upper Limit</b>	No data available	None known	
<b>Lower Limit</b>	No data available	None known	
<b>Vapour Pressure</b>	No data available	None known	
<b>Vapour density</b>	No data available	None known	
<b>Specific Gravity</b>	1.07 (+/- 0.005) g/cm <sup>3</sup>		
<b>Water Solubility</b>	Soluble in water.	None known	
<b>Solubility Other Solvents</b>	No data available	None known	
<b>Partition Coefficient:</b>			
<b>n-octanol/water</b>	No data available	None known	
<b>Autoignition temperature</b>	No data available	None known	
<b>Decomposition</b>	No data available	None known	
<b>Temperature</b>			
<b>Kinematic Viscosity</b>	No data available	None known	
<b>Dynamic Viscosity</b>	No data available	None known	
<b>Explosive Properties</b>	No data available	None known	
<b>Oxidizing Properties</b>	No data available	None known	
<b>Other Properties:</b>			
<b>Softening Point</b>	No data available		
<b>VOC Content %</b>	No data available		
<b>Particle Size</b>	No data available		
<b>Particle Size Distribution</b>	No data available		

### 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable under normal conditions.
<b>Chemical stability</b>	Stable under recommended handling and storage conditions (see section 7).
<b>Thermal decomposition/conditions to avoid:</b>	No decomposition if used and stored according to specifications.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization will not occur.



## SAFETY DATA SHEET

### ACTERGE II

**Conditions to avoid**

Direct sunlight. Extremely high or low temperatures. Contact with metallic substances.

**Hazardous decomposition products**

Carbon oxides (CO, CO<sub>2</sub>). Sodium oxides.

**Materials to avoid**

Metals such as aluminum. Reducing agents. Strong acids.

**Hazardous polymerization**

Will not occur

#### 11. TOXICOLOGICAL INFORMATION

**Information on toxicological effects**

**Acute toxicity:** Not Classified.

**LD/LC50 values relevant for classification:**

Not available.

**On the skin:** Causes severe skin burns and eye damage.

**On the eye:** Causes serious eye damage.

**Respiratory or Skin Sensitization:** Not classified.

**Additional toxicological information:**

**Carcinogenicity:**

**Chemical Name** None

#### 12. ECOLOGICAL INFORMATION

**Toxicity:** Not classified

**Persistence and Degradability:** Not available

**Bioaccumulative Potential:** Not available

**Mobility in Soil:** Not available.

**Other Adverse Effects**

**Other Information:** Avoid release to the environment.

#### 13. DISPOSAL

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.

#### 14. TRANSPORTATION INFORMATION

**Canadian T.D.G.: Regulated Material (quantity under 1 litre can be shipped Limited Quantity)**

Proper Shipping Name: Caustic Alkali liquid, N.O.S.

Contains: Monoethanolamine

Hazard Class: 8

ID Number: UN 1719

Packing Group: II





## SAFETY DATA SHEET ACTERGE II

### US DOT: Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Monoethanolamine

Hazard Class: 8

ID Number: UN 1719

Packing Group: II



### Air Transportation (IATA): Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Monoethanolamine

Hazard Class: 8

ID Number: UN 1719

Packing Group: II



### Water Transportation (IMDG): Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Monoethanolamine

Hazard Class: 8

ID Number: UN 1719

Packing Group: II



## 15. REGULATORY INFORMATION

### Occupational Health & Safety Regulations:

#### WHMIS 1988 Classification:

D2B - Toxic material causing other toxic effects

E - Corrosive material



# SAFETY DATA SHEET

## ACTERGE II



**OSHA & WHMIS:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	-
<b>PICCS</b>	-
<b>AICS</b>	Complies

#### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### HMIS III Rating

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: B

SDS US (GHS HazCom 2012 and WHMIS 2015)



## SAFETY DATA SHEET ACTERGE II

### 16. OTHER INFORMATION

**Prepared By:** Technical Department.

**Issuing Date:** April 1, 2017

**Disclaimer:**

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet**